

Revision Number: 001.0

Issue date: 04/27/2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:NoProduct type/use:AdRestriction of Use:NoCompany address:NoNexa3D, Inc.1923 Eastman Ave. STE 200Ventura, CA 93003USA

Nexa3D xMED412 Acrylics None identified

Henkel IDH number:2683505Henkel Item number:MO412-91-003Region:United StatesContact information:Telephone:1-805-465-9001EMERGENCY TELEPHONE:ChemTel1-800-255-3924 (US) / 1-813-248-0585 Contract MIS3892732Internet:www.nexa3d.com

2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW
WARNING:	CAUSES SKIN IRRITATION.
	MAY CAUSE AN ALLERGIC SKIN REACTION.
	CAUSES SERIOUS EYE IRRITATION.
	SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1
REPRODUCTIVE TOXICITY	2

PICTOGRAM(S)

Precautionary Statements

Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, clothing, eye and face protection.
Response:	IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing.
Storage:	Store locked up.
Disposal:	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS			
Hazardous Component(s)	CAS Number	Percentage*	
Aromatic methacrylate	10595-06-9	30 - 60	
High boiling methacrylate	Proprietary	10 - 30	

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	75980-60-8	1 - 5
Ethylene glycol monophenyl ether	122-99-6	0.1 - 1
Hydroxyalkyl methacrylate	Proprietary	0.1 - 1
Mixture of less 3-(4-(2-Hydroxy-2- methylpropionyl)phenyl)-1,1,3- trimethylindan-6-yl 2-hydroxyprop-2yl ketone and 3-(4-(2-Hydroxy-2-m	163702-01-0	0.1 - 1
Triacrylate ester	Proprietary	0.1 - 1

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES				
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.			
Skin contact:	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. Wash clothing before reuse. Get medical attention.			
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.			
Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.			
Symptoms:	See Section 11.			
5. FIR	5. FIRE FIGHTING MEASURES			
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide. Do not use high volume water jet.			
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool with water spray.			
Unusual fire or explosion hazards:	Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.			

Hazardous combustion products:

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:

Clean-up methods:

Do not allow product to enter sewer or waterways.

Oxides of carbon, oxides of nitrogen, irritating organic vapors.

Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during cleanup. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up as much material as possible. Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.

7. HANDLING AND STORAGE

Handling:	Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep container closed. Refer to Section 8.
Storage:	Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Aromatic methacrylate	None	None	None	None
High boiling methacrylate	None	None	None	None
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	None	None	None	None
Ethylene glycol monophenyl ether	None	None	None	25 ppm (SKIN)
Hydroxyalkyl methacrylate	None	None	None	None
Mixture of less 3-(4-(2-Hydroxy-2- methylpropionyl)phenyl)-1,1,3- trimethylindan-6-yl 2-hydroxyprop-2yl ketone and 3-(4-(2-Hydroxy-2-m	None	None	None	None
Triacrylate ester	None	None	None	None

Engineering controls:

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

Respiratory protection:

Eye/face protection:

Use NIOSH approved respirator if there is potential to exceed exposure $\ensuremath{\mathsf{limit}}(s).$

Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available.

Skin protection:

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact. Neoprene gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Flammability: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content:	Liquid Clear Acrylic Not available. Not available. Not available. Not available. Not available. 1.10 - 1.20 Not available. > 93 °C (> 199.4 °F) Not available. Not available.
	Not available.
VOC content:	< 0.3 %
Viscosity:	Not available.
Decomposition temperature:	Not available.

_		
		10. STABILITY AND REACTIVITY
	Stability:	Stable under normal conditions of storage and use.
	Hazardous reactions:	None under normal processing. Polymerization may occur at elevated temperature or in the presence of incompatible materials.
	Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Irritating organic vapours.
	Incompatible materials:	Strong reducing agents. Free radical initiators. Inert gases. Oxygen scavengers. Strong oxidizing agents. Amines, strong alkalies Reactive metals. Peroxides. Strong acids.
	Reactivity:	Not available.
	Conditions to avoid:	Extremes of temperature and direct sunlight. Heat, flames, sparks and other sources of ignition. Store away from incompatible materials. UV light.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation:	Inhalation of vapors or mists of the product may be irritating to the respiratory system.
Skin contact:	Causes skin irritation. May cause allergic skin reaction.
Eye contact:	Causes serious eye irritation.
Ingestion:	May cause gastrointestinal tract irritation if swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Aromatic methacrylate	None	Irritant, Allergen	
High boiling methacrylate	None	Irritant, Allergen	
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	None	No Records	
Ethylene glycol monophenyl ether	Oral LD50 (Rat) = 1,260 mg/kg Oral LD50 (Rat) = 13,700 mg/kg Oral LD50 (Mouse) = 16,500 mg/kg	Blood, Central nervous system, Developmental, Irritant, Kidney, Reproductive	
Hydroxyalkyl methacrylate	Oral LD50 (Rat) = 11.2 g/kg Oral LD50 (Rat) = 5,050 mg/kg	Irritant, Allergen	
Mixture of less 3-(4-(2-Hydroxy-2- methylpropionyl)phenyl)-1,1,3- trimethylindan-6-yl 2-hydroxyprop-2yl ketone and 3-(4-(2-Hydroxy-2-m	None	No Data	
Triacrylate ester	None	Allergen, Irritant	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Aromatic methacrylate	No	No	No
High boiling methacrylate	No	No	No
diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	No	No	No
Ethylene glycol monophenyl ether	No	No	No
Hydroxyalkyl methacrylate	No	No	No
Mixture of less 3-(4-(2-Hydroxy-2- methylpropionyl)phenyl)-1,1,3- trimethylindan-6-yl 2-hydroxyprop-2yl ketone and 3-(4-(2-Hydroxy-2-m	No	No	No
Triacrylate ester	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

	DISPUSAL CONSIDERATIONS			
Information provided is for unused product only.				
Recommended method of disposal	Follow all local, state, federal and provincial regulations for disposal.			
Hazardous waste number:	Not a RCRA hazardous waste.			
14. TRANSPORT INFORMATION				
The transport information provided i package/configuration.	in this section only applies to the material/formulation itself, and is not specific to any			
U.S. Department of Transportation G	Ground (49 CFR)			
Proper shipping name: Hazard class or division: Identification number: Packing group:	Not regulated None None None			
International Air Transportation (ICA Proper shipping name: Hazard class or division: Identification number: Packing group:	O/IATA) Environmentally hazardous substance, liquid, n.o.s. (2-Phenoxyethyl methacrylate) 9 UN 3082 III			
Water Transportation (IMO/IMDG) Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2- Phenoxyethyl methacrylate)			
Hazard class or division: Identification number: Packing group: Maring polytication:	9 UN 3082 III 2. Phonosystethyl methodaylata			
Marine pollutant:	2-Phenoxyethyl methacrylate			
	5. REGULATORY INFORMATION			
ited States Regulatory Information TSCA 8 (b) Inventory Status:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.			
TSCA 12 (b) Export Notification:	None above reporting de minimis			
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	None above reporting de minimis. Immediate Health, Delayed Health This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40			

42 DIODOGAL CONCIDEDATIONO

California Proposition 65:

Canada Regulatory Information

CEPA DSL/NDSL Status: Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities. Please contact Regulatory Affairs for additional details.

CFR 372). Aromatic methacrylate (CAS# 10595-06-9). Ethylene glycol monophenyl ether (CAS# 122-99-6).

This product contains a chemical known to the State of California to cause birth defects or

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

other reproductive harm.

Prepared by: Product Safety and Regulatory Affairs

Issue date: 04/27/2020

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Nexa3D and its affiliates ("Nexa3D") does not assume responsibility for any results obtained by persons over whose methods Nexa3D has no control. It is the user's responsibility to determine the suitability of Nexa3D's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Nexa3D's products. In light of the foregoing, Nexa3D specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Nexa3D's products. Nexa3D further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Nexa3D Product Safety and Regulatory Affairs for additional assistance.